



# **Guidelines for Prehospital Pediatric Protocol Development**

**Emergency Medical Services Authority  
California Health and Human Services Agency**

EMSA #185  
Original 1994  
Revised 2011  
Revised 2014



# **Guidelines for Pre-hospital Pediatric Protocol Development**

**Edmund G. Brown Jr.  
Governor  
State of California**

**Diana S. Dooley  
Secretary  
Health and Human Services Agency**

**Howard Backer, MD, MPH, FACEP  
Director  
Emergency Medical Services Authority**

---

EMSA Publication #185

Original 1994  
Revised 2011  
Revised 2014

[www.emsa.ca.gov](http://www.emsa.ca.gov)

# Guidelines for Pre-hospital Pediatric Protocol Development

## INTRODUCTION

In 2006, the Institute of Medicine (IOM) issued three reports on *The Future of Emergency Care in the United States Health System*. These reports identified pediatric specific issues that should be addressed within emergency medical services (EMS) systems. Recommendations included the development of evidenced-based protocols for prehospital and emergency care including those for children. In addition, the Federal Emergency Medical Services for Children (EMSC) Program has developed performance measures for the care of children within emergency care systems which state prehospital provider agencies have online and offline pediatric medical direction available. This includes the creation and implementation of pediatric specific protocols. The State of California Emergency Medical Services Authority (EMS Authority) EMS for Children Technical Advisory Committee (EMSC-TAC) recognizes that many local EMS agencies within the state have previously integrated pediatric care within their overall protocols for prehospital care. In this document the EMS Authority, informed by the EMSC-TAC, recommends local EMS agencies address specific issues in the development of pediatric protocols whether integrated with adult protocols or separated as pediatric-specific protocols:

- Definition of a Pediatric Patient
- Pediatric Assessment
- BLS and ALS Management Principles for Care of Children

This document also provides examples of protocols from the National Association of State EMS Medical Directors, the National Association of EMS Physicians, other state protocols, and from counties within California.

## DEFINITION

The definition of a pediatric patient should be clearly defined within EMS protocols. There is some variability amongst EMS systems of the age definition of a pediatric patient. For the purposes of this document, the definition of a pediatric patient is as follows:

Patient  $\leq$  14 years of age (0 to the 15<sup>th</sup> birthday)

Although patients  $>14$  years of age and  $<21$  years of age are often considered “pediatric”; this group should be considered as adolescent/young adults and should be managed based on maturity level. Drug and equipment sizing should be based on adult doses and sizes.

The following are age classifications of pediatric patients that may assist prehospital personnel in their assessment and management of pediatric patients:

- Neonate: newborn up to first 28 days of life
- Infant: comprises neonatal period up to 12 months
- Toddler: 1-3 years
- Pre-school: 4-5 years
- School-age: 6-10 years
- Adolescent: 11-14 years

Children with Special Health Care Needs (CSHCN) are children who have any type of condition that may affect normal growth and development. This may include physical disability, developmental or learning disability, technologic dependency, and chronic illness. CSHCN may be any age. It is important to consider developmental age, rather than chronological age when working with this population.

All prehospital personnel should have the capability to assess the pediatric patient, form a general impression, and begin lifesaving management.

# PEDIATRIC PROTOCOLS

Prehospital EMS providers are given several tools to assist them in providing the standard of care for children. One of the most important of these tools is a prehospital pediatric care protocol. As local EMS agencies develop pediatric protocols, the inclusion of pediatric-specific assessment guidance for medical/traumatic conditions, including the evaluation of pain, is recommended.

## **Pediatric Assessment**

The following pediatric assessment elements may be provided as a separate Assessment Protocol or incorporated within individual protocols as pediatric-specific assessment considerations.

1. Scene safety
2. Scene survey with attention to risk of child maltreatment (child abuse and neglect)
3. Provider and patient safety; dangers such as trauma or infection
4. Pediatric Assessment Triangle (PAT)
  - A. Appearance
  - B. Work of Breathing
  - C. Circulation to the Skin
5. Formulation of the general impression from the PAT which may dictate initial management priorities
  - A. Stable
  - B. Respiratory Distress
    1. Wheezing – lower airway obstruction
    2. Stridor – upper airway obstruction
    3. Tachypnea / Rales / Crackles – disease of the lungs
  - C. Respiratory Failure
  - D. Shock
  - E. Central Nervous System / Metabolic disorders
  - F. Cardiopulmonary Failure/Cardiopulmonary Arrest
6. Initial assessment includes vital signs
  - A. Vital sign assessment to include heart rate, respiratory rate, blood pressure, oxygen saturation, and end tidal CO<sub>2</sub> values as appropriate.
  - B. Vital sign limits by age which are potentially dangerous should be identified and a management strategy delineated.
7. Focused history and physical exam
  - A. Assessment of pain that is age appropriate
8. Detailed physical exam as indicated
9. Ongoing assessment

## **Pediatric Protocols – Guidelines for Management**

The following elements of patient care reflect the management of pediatric patients based upon local EMT scope of practice and availability of regional resources. Local EMS agencies should provide their prehospital providers with the most current pediatric-specific management guidelines for Basic Life Support (BLS) and Advanced Life Support (ALS).

### **Basic Life Support Management**

1. Basic Airway
2. Shock Management
3. AED use in children
4. Spinal Stabilization Strategies for Children
5. Special Circumstances
  - A. Family-Centered Approach/Care
  - B. Emergency Childbirth and Neonatal Resuscitation
  - C. Provider assists with medications (e.g., glucose, epinephrine injectors, inhalers).
  - D. Evaluation of the scene for risk of child maltreatment (child abuse and neglect).
6. Transport considerations
  - A. Need for ALS intercept
  - B. Appropriate restraint for transport
  - C. Local EMS agency criteria for transport of pediatric patients to specialty center versus the closest receiving center (e.g. Perinatal Center, Pediatric Trauma Center, Trauma Center, Burn Center, Emergency Department Approved for Pediatrics, Pediatric Medical Center or Pediatric Critical Care Center).

### **Advanced Life Support Management**

Includes all BLS management as outline above and the following:

1. Rapid determination of weight (kg) in order to determine appropriate equipment sizing and medication dosing.
2. Airway management strategies
3. Vascular access strategies
4. Manual defibrillation
5. Pain assessment and management that is developmentally based
6. Special considerations:
  - A. Technology dependent children (e.g. tracheostomy management, use of indwelling central lines, home ventilator management, indwelling devices such as vagal stimulators, left ventricular assist device (LVAD), Gastrostomy-Jejunostomy Tube (G- or J-tubes), and insulin pumps).
  - B. Determination of death/termination of resuscitation

- C. Child maltreatment considerations for traumatic injury, burns, seizure, poisoning, hyperthermia, altered level of consciousness (ALOC) and apparent life threatening events (ALTE).
7. Transport considerations  
Regionalization issues to include criteria for transport of pediatric patients to specialty center versus the closest receiving center (e.g. Perinatal Center, Pediatric Trauma Center, Trauma Center, Burn Center, Emergency Department Approved for Pediatrics, Pediatric Medical Center or Pediatric Critical Care Center).

### **Pediatric Specific Protocols**

The care of pediatric patients in the EMS environment is challenging even for the most seasoned EMS personnel. Children have unique medical and developmental needs that are best addressed through specific guidance. It is recommended that local EMS agencies develop pediatric-specific protocols in the following categories to guide EMS personnel in the assessment and care of children.

- 1. Pediatric Assessment and General Care
- 2. Apparent Life Threatening Event
- 3. Altered Level of Consciousness
- 4. Medical Cardiopulmonary Arrest
  - A. Death of a Child (SIDS) or Sudden Unexplained Infant Death
  - B. Asystole/ Pulseless electrical activity (PEA)/Ventricular tachycardia (VTach)-Ventricular fibrillation (Vfib)
- 5. Child Maltreatment (Child Abuse and Neglect)
- 6. Childbirth
  - A. Neonatal Resuscitation
- 7. Diabetic Emergencies
  - A. Hypoglycemia
  - B. Suspected Diabetic Ketoacidosis
- 8. Dysrhythmias
  - A. Symptomatic Bradycardia
  - B. Supraventricular Tachycardia
- 9. Fever
- 10. Respiratory Distress
  - A. Wheezing (Asthma, Bronchiolitis)
  - B. Stridor (to include Foreign Body Aspiration, Croup)
  - C. Rales
  - D. Tracheostomy Emergencies
- 11. Seizures
- 12. Technology Dependent Children with Special Healthcare Needs
- 13. Trauma
  - A. Traumatic Arrest
  - B. Multisystem Trauma
  - C. Head Trauma
  - D. Isolated Extremity Trauma

- a. Pain Assessment and Management
- E. Burns
  - a. Pain Assessment and Management

### **Pediatric Management Integrated into a General Protocol**

The following provides specific diseases and conditions where it is recommended local EMS agencies integrate pediatric-specific management considerations within general prehospital care protocols.

#### **Environmental**

1. Allergic Reactions/Anaphylaxis
2. Bites and Stings
3. Decompression Emergency
4. Hyperthermia
5. Hypothermia
6. Submersion Injury
7. Organophosphate Emergency
8. Poisoning

#### **Medical**

1. Abdominal Pain
2. Behavioral Emergency
3. Chest Pain
4. Dystonic Reaction
5. Hypertension
6. Non-Traumatic Abdominal/Pelvic Pain
7. Non Traumatic Hypotension/Poor Perfusion
8. Pain Assessment and Management
9. Shock
10. Stroke/acute Neurologic Deficits
11. Syncope

#### **Trauma**

1. Traumatic Crush Injury/Syndrome



## RESOURCE LIST OF PROTOCOL EXAMPLES

This list of reference protocols was accessed in 2011. The scope of practice may vary from state to state and from region to region. The provision of these protocols in this document does not signify an endorsement by the EMS for Children Technical Advisory Committee or the EMS Authority but are provided as examples of existing pediatric protocol development.

National Association of EMS Physicians Model Protocols (2003)

<http://www.chems.alaska.gov/ems/Assets/EMSC/ModelPediatricProtocols.pdf>

State of Illinois Pediatric Protocols (2008)

<http://www.luhs.org/depts/emsc/Prehospital.pdf>

State of Minnesota BLS and ALS Pediatric Protocols (2009)

[http://www.emsrb.state.mn.us/docs/BLS\\_pediatric\\_guidelines.pdf](http://www.emsrb.state.mn.us/docs/BLS_pediatric_guidelines.pdf)

[http://www.emsrb.state.mn.us/docs/ALS\\_pediatric\\_guidelines.pdf](http://www.emsrb.state.mn.us/docs/ALS_pediatric_guidelines.pdf)

State of Utah Pediatric Guidelines (2009)

[http://health.utah.gov/ems/emsc/pediatric\\_protocol\\_guidelines.pdf](http://health.utah.gov/ems/emsc/pediatric_protocol_guidelines.pdf)

San Diego County EMS Agency Pediatric Treatment Protocols (2009)

[http://www.co.san-diego.ca.us/hhsa/programs/phs/documents/EMS-PolicyProtocolManual\\_2009online.pdf](http://www.co.san-diego.ca.us/hhsa/programs/phs/documents/EMS-PolicyProtocolManual_2009online.pdf)

Los Angeles County EMS Agency Manuals & Protocols

Pre-hospital Care Manual (2011)

Color Code Drug Doses for L.A. County Kids / Ref. No 1200 Treatment Protocols Index- (Pediatric) <http://ems.dhs.lacounty.gov/ManualsProtocols/Manuals.htm>

National Association of EMS State Officials: Model EMS Clinical Guidelines (2014)

<https://www.nasemso.org/Projects/ModelEMSClinicalGuidelines/documents/National-Model-EMS-Clinical-Guidelines-23Oct2014.pdf>

## Acknowledgements

### **EMS for Children Technical Advisory Committee**

Art Andres, EMT-P  
Ontario Fire Department

Howard Backer, MD, MPH  
State of CA  
EMS Authority

B.J. Bartleson, RN  
California Hospital  
Association

Donna Black  
State of CA  
Office of Traffic Safety

Louis Bruhnke, EMT/P  
North Coast EMS Agency

Patrice Christensen, RN  
San Mateo County EMS  
Agency

Bernard Dannenberg, MD,  
FAAP, FACEP  
Lucile Packard Children's  
Hospital

Ronald Dieckmann, MD  
Pediatric & Emergency  
Medicine

Robert Dimand, MD  
State of CA,  
Children Services

Erin Dorsey, RN, BSN, PHN  
Huntington Beach Unified  
High School District

Jan Fredrickson, RN, MSN  
CA State Emergency Nurses  
Association

Pat Frost, RN, MSN, PNP  
Contra Costa EMS Agency

Marianne Gausche-Hill, MD,  
FACEP, FAAP  
Harbor UCLA Medical Center

Jim Harley, MD, MPH  
Rady Children's Hospital San  
Diego

Debra Henes  
Family Representative  
Public Member

Ramon Johnson, MD,  
FACEP, FAAP  
Emergency Medicine  
Associates

James Marcin, MD, MPH  
UC Davis Medical Center  
Pediatric Critical Care

Anne Marcotte, RN  
Public Member

Tammi McConnell, RN  
Orange County  
EMS Agency

Tom McGinnis, EMT-P  
State of CA  
EMS Authority

Nancy McGrath, RN, CPNP  
Harbor UCLA  
Medical Center

Farid Nasr, MD  
State of CA  
EMS Authority

Shira Schlesinger, MD, MPH  
UCI Department of Emergency  
Medicine

Bonnie Sinz, RN  
State of CA  
EMS Authority

Sam Stratton, MD, MPH  
Orange County EMS Agency

Tonya Thomas  
EMSC Program Coordinator  
EMS Authority

Richard Watson  
Public Member

Revised - 2014